

Occidental Institute Research Foundation



Linking Practitioners of German Biological Medicine

Volume 4, Issue 1, Part II Supplement, February 2008

Comments and Updates

by Carolyn L. Winsor, OIRF
Chairman of the Board

Here are the most important updates I have included in a very long time. The instrumentation introduced towards the end of 2007 has been well received and reminders about their details are enclosed.

But, most importantly, I am introducing here two vitally important devices for your consideration. Many of you will remember Dr. Sturm's lectures on water. Good quality water is so important as an adjunct to our therapies that it became one of his 'passions'.

Here is an excellent and extensive article by Mr. Dieter Jossner (known to many of you as the de-


signer of the BioPhoton HPT 3D device by Medical Electronics) about the new AQA 707 device for the vitalization and regeneration of water.

Also you will find introductory information on the [AMSAT-HC global diagnostic device](#). Please review my comments under the FAQ's column in Part I of this issue. The design on this device is extremely interesting while the quality and technical standards are excellent.

Be sure also to review the information about Med-Tronik's new MORA-Super Amp for amplified color therapy for pain.

I know you will find much of interest in the pages – enjoy –

Carolyn



*A **confidential article for Members**, published February 2008
by Occidental Institute Research Foundation . . .*

Liquid Energy AQA 707

Water Regeneration According to the Laws of Nature

By Dieter Jossner

**Machine Translation by SYSTRAN, Lernout & Hauspie, LogoMedia & Prompt
Translation & redaction by: Carolyn L. Winsor, OIRF**

© Copyright 2007, Dieter Jossner, Medical Electronics, Rheinau, Germany

Water: A Mysterious Element



The depths of the seas and oceans are still mysterious and unfathomable. The hidden treasures of the deep have still not lost their fascination. The oceans hide not only sunken treasures, but also former advanced civilizations and their buildings. Deep in the seas, many undiscovered exotic organisms still live. Even up to the present time only a fraction of what the oceans withhold from our view has been discovered. And then of what little we humans have discovered so far in the unfathomable depths, only a fraction has been investigated.


With the investigation of the seas and oceans we can still collect a lot of adventurous surprises. But many sensational discoveries wait for us not only in the mysterious depths of the oceans.

The secrets scientists can coax out of every single drop of water, is nothing other than a simple and touching sensation.

Every attempt to investigate this strange element water places new riddles before the scientists. This element still surrounds itself with many unexplainable physical phenomena. The entire reactivity of the water element falls completely outside of the framework of the physical, chemical and biological properties which it should have based on its composition.

So far 18 different outward forms of water are known. More than 40 anomalies of water await investigation. This peculiar element covers more than 70% of the earth's surface. More than half of the mass of every living organism consists of this mysterious element. Even people consist of approximately 70% of this strange medium.


But, water still has yet one more fantastic sensation ready for us:




Water Molecules Have a Memory

Water molecules have a memory. It can store biological, energetic information. Everything that the water has ever experienced is stored as information. As is further known, water can also store oscillations. This is probably one of the most important discoveries

through the study of the laws of nature and of life. All contacts of the water, from its natural origin up to our faucet, are stored as energetic information in the water structure. With each contact of the water with a living organism this energetic information will transfer. Thus basic biological functions are decisively influenced by it. The effects, for example of homeopathy as well as the Bach Flower therapies, are also founded on this basis. The mysterious forces of water are also known from the many “holy springs”. The enormous biological effect of the information transfer from water is a scientifically irrefutable fact.



Here is a pictorial idea of a water molecule, consisting of an oxygen atom and two hydrogen atoms.




Information is stored in the geometrical arrangement of the water molecules (cluster), which gives the water memory.

Little by little, science understands that water is more than the bare chemical compound of hydrogen and oxygen. In the future, through the discovery of the biological forces of these mysterious elements, an absolutely new era of health and well-being will develop.

Particularly the energetic quality of the water from which our body fluids are composed, is an extremely important factor for our health. For drinking water, this fact has been known for a long time. However so far hardly anyone has considered that in a bath a much larger quantity of water comes into contact with a much larger body surface. According to these realizations it does not matter what quality this water possesses. The bioenergetic information of normal tap water is pitifully unhealthy. Japanese water researchers have proven this with a spectacularly new procedure. On the way from the water company to our tap all natural qualities of the water are lost. You can release chemical impurities from the water with various filter methods. To separate it from the “energetic impurities” completely different technological methods are necessary. With modern biotechnology it is possible to energetically neutralize water, and to give it back a healthy natural oscillation pattern. This method is applied in the AQA 707.

Water Stores the Energy of the Sun

Natural water is constantly exposed to the rays of light from the sun. This begins with evaporation in the earth’s surface and the bodies of water. In the form of the smallest water molecules the water is suspended for a long time in the atmosphere as “air humidity”.



Thus, the water molecules take up large quantities of solar energy. The only energy that the water receives in this state is the energy of the sun. After hundreds or thousands of hours these gaseous water molecules condense to the smallest droplets. These then form the clouds which are familiar to us. When the drops fall to earth, they form brooks, rivers and seas. Also here for the most part it is constantly exposed to sunlight. The predominant part of the mainland is covered with plant growth. The dominant part of this biomass is water which takes on light energy through the process of “photosynthesis”. With the next evaporation, the energy rich water is again returned into the atmosphere. Thus the process of energy absorption in the form of sunlight begins anew in the natural cycle.

Only a small portion of the water disappears into the dark depths of the ground as groundwater. However, nearly all natural springs arise higher than the level of the normal groundwater table. Spring water that appears on the earth’s surface “voluntarily” is called “mature water” by water researchers. This “mature spring water” has completely different biological properties than the water which comes from our water pipes. That is usually drawn up from great depths with technical methods using great force. Always this water has had no further contact with the sun for many centuries. It is energetically discharged and biologically weak. All further measures to bring this water into our water pipes also rob the very last biological forces from the water. Actually, this water should no longer be referred to as drinking water. From the point of view of the chemist it is water, but it is not comparable with the biological effect that fresh energy rich spring water has on us.

The essential biological difference between tap water and spring water is not chemical, but rather energetic. Tap water lacks the important biological energy of the solar radiation. This was the cause of intensive research work for many scientists. The result of these research findings now permits us to repair this deficient condition. You can again further revitalize the



water with suitable technology. The energetically deficient condition of tap water can be repaired. Modern opto-electronic systems can regenerate the water in the same way that it happens in nature. Thus in a new elegant way you can bring vitalizing energy to the body.
AQA 707

Natural Water is Always in Motion and Continually Forms Rotating Vortex Structures



The splashing and bubbly sound of springs and brooks is well known to everybody. Also in lakes and very surely in the sea, water exhibits a broad spectrum of oscillations. The visible waves and roaring sea surf are not the only oscillations of water. From the deep infrasound oscillations to the high ultrasound range, water is always in motion. These oscillations are stored as energetic information in the water. All living organisms which

come into contact with this water take up this energy. This oscillation energy in combination with light and oxygen produces the natural self-cleaning strength of water. From the smallest water molecules up to the oceans, natural water is always in motion. Every attempt to prevent the natural motion-urge of water inevitably leads to disasters. Many examples from the recent past are also irrefutable witnesses to this. You cannot put water into an “energetic straitjacket” with impunity, it becomes aggressive.




However, this is exactly what happens to our tap water. It is pumped out of the inert ground; it is brought to a standstill in great tanks and then under imprinting with chemicals it is forced [under pressure] into dubious distribution systems.


This is not water as it occurs in nature. On the basis of many research results from water researchers, we should possibly only use “vital water” for ourselves. The entire human civilization has developed predominantly at places where springs of fresh water exist. Only with progressive mechanization has the ground water been tapped. This is not the water that serves living beings in the natural manner of spring water. Biologically active fresh spring water still has the energy of the tumultuous motion stored in it. Therefore the rotary motion of a vortex, as it constantly forms in nature in flowing water, is particularly effective. However, sluggish tap water brought to a standstill is energetically worthless.

With responsible handling using modern technology the water in this area can also be “revitalized” within wide ranges. So, as the rotation energy in nature transfers to water, this procedure can be reproduced with modern technology. Water specialists call this process “levitation” of the water. The result is energetically vital water, which energetically corresponds to good spring water. This technology is used in the AQA 707.

Magnetic Fields Influence the Energetic Structures of Water Molecules

The entire evolution of this planet originated under the protecting influence of the natural magnetic fields of the earth. This magnetic field has extremely important functions without which there would be no living organisms on the earth. At a higher level it protects us from the extremely aggressive cosmic rays. On earth it is an important factor of the biological energy, which decisively influences the metabolism of all living organisms. It is an indispensable component of the energy supply of all living organisms. Also human wellbeing and health are indispensably dependant on an undisturbed natural earth’s magnetic field. It stimulates the circulation, the metabolism, the glands and the nerves. The brain is dependent on undisturbed, natural magnetic potentials. Tiny, as shown opposite, electro-biological circuits (synapses) react to even the slightest magnetic fields. The earth’s natural magnetic field is an important biological stimulator for these biosensors in our brain. Additionally, it serves many living organisms as an important factor for orientation. A loss of this important natural energy can cause serious health consequences.







However, the earth's magnetic field cannot be compared to a simple permanent magnet. The natural magnetic field of the earth consists of a complex frequency composition. These magnetic fields transfer important energetic effects to water and to all the fluids of our body. Technical magnetic fields from our "electrical environment" leave behind chaotic un-biological structures in the water. A specific application of the magnetic fields which are identical to the natural fields can successfully release the water from its chaos. The water


molecules are released by the magnetic fields from the un-biological energetic information, and of course are structured bioenergetically anew.

The water molecules can be newly aligned by electrical or magnetic fields. If the fields are pulsed, new energetic structures develop in the water clusters formed thereby. If the pulses are used according to the frequencies occurring in nature, you can return the energetic structures of natural spring water to the water. This process is precisely the same as that which regenerates the water in nature. An important part of the admirable self cleaning strength originates through this effect. Additionally with the AQA 707 the possibilities exist to transfer the energetic information of medications and other substances into the water. AQA 707




Just like the strength of natural sunbeams affect water, so water is regenerated with photons according to the model of nature in the AQA 707.

Modern Technology Can Reproduce Natural Biological Energy Sources and Water with the Strength of Natural




Natural magnetic fields pulsate with a broad frequency spectrum. These are reproduced in the AQA 707 and transfer oscillations, waves and vortexes into the water that are the suppliers of kinetic energy that stamps them onto the memory of the water energy. This energy is used by all living cells.



Undisturbed nature makes all important natural forces available. They are indispensable for the water and for all living organisms. Our entire evolution is shaped by the conditions of the laws of nature. Today however, our civilization lives with many “technological achievements” which violate these laws of nature. An important factor is a substantial deficiency of vital energy. Scientific research results and modern technology are now able to create a remedy. Refined technological developments make it possible for us to create the same biological conditions as they are found in undisturbed nature. Now this unique worldwide system is available to you. This system is called AQA 707


Vortex Systems can Produce Amazing Effects on the Self-Cleaning of Water

The admirable self-cleaning strength of water in nature can be explained primarily by the rotation of water in a vortex. The famous water researcher Viktor Schauberger recognized this phenomenon with the observation of undisturbed brooks and rivers. From the findings of meticulous scientific research there emerged results that were completely contrary to the “definite knowledge” of the academic water scientists at that time. Schauberger was right. According to his knowledge many extremely effective technical hydrological systems were developed. Water researchers also call the vortex-like rotation of water levitating. The bioenergetic activity of water is enormously increased by the so called levitation of the water. This can be especially clearly proven, for example, in the growth of plants. But also complex living organisms, like all warm blooded animals, instinctively choose this water if it is offered beside other different waters. This instinct for energetically optimal water is not yet lost to most living animals. That should also be a model for us. Besides, if we humans go against the laws of nature, we quite soon feel the effectiveness of those laws of nature.




Therefore we have the chance, through observation of nature and reproduction of the selfsame effects, to reproduce nature effectively with modern technical methods. In the AQA 707 this is consistently brought into use. Water and other highly liquid media can be supplied with optimally kinetic energies by the vortex strength of the rotation. If the energetic signatures of homeopathic medications are transferred to the water during this process, these are especially resistant to “memory loss” when transferred onto the carrier substance. This can also be used effectively to work against the gradual loss of information from interfering energetic fields. Additionally, all the other biological energetic information can be very effectively and permanently transferred this way into liquids. These [liquids] do not absolutely have to be water. Highly liquid vegetable oils or alcohol solutions are likewise applicable. The rotation will transfer into the liquid over a magnetic agitation system in almost any container. Thus, no containers with axes* or seals or similarly disturbing mechanisms are used. Effective water regeneration – this is AQA 707.

Modern Technology Can Reproduce Natural Biological Energy Sources and Water with the Strength of Natural



Just like the strength of natural sunbeams affect water, so water is regenerated with photons according to the model of nature in the AQA 707. Modern high performance light emitting diodes produce an intensive photon ray which will transfer onto the contents in the water container.



Three base colors (RED, GREEN, BLUE) can be used individually. Thus you have the possibility of arranging color blendings of your choice. Using all three color emitters at the same time results in white. The wavelengths employed in the AQA 707 are identical to the spectrum of natural sunbeams.

RED = 660 nm





GREEN = 520 nm




BLUE = 430 nm



R G B together =




The solar noise of the sun consists of an extremely broad frequency spectrum. All living systems have adapted themselves during evolution to this frequency spectrum and made it the basis of all biologically energetic processes. All photon emitters in the AQA 707 are modulated with this frequency spectrum.



In living cells photons serve as carrier energy for internal cell communication. Today photons are also used in technology when efficient and fast communication is important. Nature discovered this many millions of years before us. This principle is also used in the AQA 707 in order to transfer bioenergetic information to water.

Pulsating Magnetic Fields According to the Model of Undisturbed Nature




Magnetic fields structure the water clusters and supply information to them. This realization is an irrefutable scientific fact. In the AQA 707 system this process is used for information transfer. In addition to the optical information transfer by means of the photons, the rotary medium with magnetic fields is activated. The magnetic fields used here are pulsed poly-frequency magnetic fields. The pulse frequency is the extremely important biological global frequency. (Earth's resonance

frequency.) Additionally, the poly-frequency spectrum is the carrier medium for other bioenergetic information. The simultaneous magnetic and optical stamping of information onto the vortex medium leaves an especially "unforgettable" impression on the energetic memory of the water or other used media.


Bioenergetic Information Transfer to a Vortex Structure

Biological systems send out oscillations with a very broad frequency spectrum. These oscillations are energy. Each energy has an influence on every other form of energy. This effect is used in the AQA 707, in order to transfer information from bioenergetic signatures onto the medium. Additionally an absorption system is integrated into the device. As well, another connection for a medication honeycomb is present. With this combination nearly unlimited bioenergetic information can be transferred onto



any carrier substance. Thus, your homeopathic medications can be safeguarded, which are thus taken more and more rarely, or completely from the market [pharmacy].

Four Energizing Systems Working Independently of Each Other for the Most Vital Food, Life Elixir and Bioenergetic Carrier Medium are:



A magnetic rotation system with sixteen speed stages brings highly liquid media into rotary vortex structures. All non-magnetic vessels can be used as containers. Preferably glass containers should be used, and ideally containers of quartz glass. The rotation speeds can be optimally and individually adjusted according to the containers and the filling medium. The direction of rotation is reversible. An optional applicable mechanism changes the direction of rotation per minute.

The rotation stimulus can also be switched off completely, so you can work with magnetic fields and photons separately or in any combination of the different systems.

High performance light emitting diodes serve as the photon sources in the AQA 707. Eight LEDs per base color (red, green, blue) serve as optical and energetic information carriers. The photons are modulated with the poly-frequency spectrum (solar noise). At the same time, this frequency spectrum serves as a carrier frequency for homeopathic information, nosodes and other bioenergetic information signals. The three wavelengths can be selected separately, or in any combination.

Additionally, a laser applicator or another photon emitter can be attached to the device.

Pulsating magnetic fields activate and structure of the vortex medium. Like the photon sources, the magnetic field is modulated with the poly-frequency spectrum. Additionally, it pulses with the global frequency. The poly-frequency spectrum is simultaneously also used as the carrier energy for the bioenergetic substances if required. The magnetic field can be selectively switched on or off.

As is usual in homeopathy energetic information transfer can likewise be successfully used with the AQA 707. The device possesses an ampule holder for this, as well as a connection for a medication honeycomb.

Application Examples of Levitated and Energized Water and Other [Liquids]:



Medical Applications:

- Ointments, pastes, lotions, tinctures, sprays
- Vaccination of bath water in medical baths
- Production of media for homeopathic medications
- Energization of inhalation liquids
- Energization of injections for rashes
- Energization of water for drinking
- Production and energization of nosodes
- Reproduction of homeopathics
- Energization of ethereal oils and alcohol



Applications for health, well being and grooming:

- Energization of highly liquid massage oils
- Vaccination of bath water in Jacuzzis
- Activation and energization of sauna water
- Activation and energization of masks
- Activation of water for humidifiers
- Production of energetic mouthwash liquids
- Energization of liquids for gargling
- Energization of liquids for skincare products
- Activation and energization of hair washing waters




Regular and Luxury Foods:

- Activation and energization of drinking water
- Energization of highly liquid fruit juices
- Energization of water to cook vegetables
- Energization of water for production of ice
- Energization of water to germinate seeds
- Energization of wine and other alcoholic drinks
- Removal of carbon dioxide or chlorine from water
- Production of crystal water
- Activation of water for tea and coffee



Various Applications:

- Energization of drinking water for pets
- Energization of water to pour on plants
- Energization of water for aquariums
- Energization of reaction water in biology
- Energization of water for cleaning
- Activation and energization of solvents
- Application of phone irradiation
- Application of laser treatments
- Application of magnetic field treatments




* Note from Page 42: When I asked Mr. Jossner about this word he described a lab type container with a hollow central axis (made of glass) connected to the base of the container with a rubber seal. Apparently this type of container would be used to mechanically stir or rotate the contents of the container. Since most of us do not have or use these kinds of containers the best rule here is to just use a plain, simple glass jar, bottle, beaker or other flat bottom container. CLWS

medical electronics

Research and development of electronic devices for biology and medicine.
Place of origin of many creative and innovative ideas.
Here, modern energetic diagnosis methods and therapy procedures originate.

Managing Director
and head of research
and development
Dieter Jossner



February 20, 2008

Occidental Institute is proud to introduce the AMSAT-HC® to our 2008 members and non-member colleagues. There is a 12 page English language brochure available about this device complete with pictures and diagrams of the various charts and printouts. We are in the process of reproducing that brochure and you can obtain a printed copy by contacting Elaine at the Institute's main office. Given time, we will get it posted on the website as well – watch for it at www.oirf.com

This device is currently in the process of being registered with the US F&DA and they expect that process to be completed within the next couple of months. We will let you know when it is done!

Introductory pricing for this device is US/CDN \$ xx including shipping (import duties and taxes will be charged when the device enters your country). Delivery time is three to five weeks from receipt of paid order. Contact Elaine or Carolyn at 800-663-8342 for further details, pricing and order information

Order through OCCIDENTAL INSTITUTE RESEARCH FOUNDATION:
2002 West Bench Drive, Penticton, B.C. V2A 8Z3 CANADA
Phone us at 1-800-663-8342 or (250)-490-3318 FAX: (250)-490-3348
E-mail us at support@oirf.com and for full details visit our website at www.oirf.com

AMSAT-HC[®]

The automatic electronic diagnostic device AMSAT-HC[®] follows the principle of "segmentary diagnostics", meaning that the body is investigated using an electrical subdivision analyzing 22 different segments. A minimal current flows between six electrodes that are placed on the forehead, the hands, and the feet. By measuring the reduction of the amperage in each of the 22 channels a diagnosis can be made as to the function of the organs and structures included.

The measurements are compared with individual normal values taken from a huge data bank. Therefore all organs and systems can be scrutinized and findings of hyper, normal or hypo functions can be assessed. The results can be shown as numbers, frameworks, histograms, and anatomical "phantom" images.

A short examination takes 17 seconds and gives a complete review of the patient's condition. So this method is ideally suitable for an instant diagnosis when used as a basic medical check-up or by ambulatory services. Further tests can be made and the results compared as to the use of medication or for follow-up studies.

AMSAT-HC[®] results have proved to be extremely accurate (usual variance only +/- 2 %) after undergoing a series of stringent tests. The procedure can be delegated and demands not more than a few minutes of the physician's time. As a biophysical method it has clear advantages over biochemical investigations that are only able to show a small part of the body's functions. The device has

great future in diagnostics and therapy control and could possibly be used as a standard medical procedure.


✳ What is the function of AMSAT-HC[®]

It can . . .

- Give a full organ analysis within 17 seconds.
- Describe the organs and structures directly and anatomically, without translation problems using graphs and organ symbol charts.
- Quantify and list the functional aberrations (hyper- and hypo-)
- Control the personal health development over time and quantify and localize it.
- Configure an individual data bank and use it for treatment purposes.

✳ How?

- AMSAT-HC[®] is rather simple electro-technical method: it primarily measures the volume resistances in the body and secondly the plain skin resistances.
- The paradigm of AMSAT-HC[®] is: the functional abilities are directly proportional to the conductance and indirectly proportional to the resistance.
- The current flows along the route with the lowest resistance and the shortest distance.
- The examination and the evaluation of the results are based on huge data banks.
- Each result is individual, taking into consideration age, sex, height, weight, time, and room temperature.



✳ **What are the benefits of AMSAT- HC ®?**

- Screening and general analysis within a short time period.
- Recognition of latent weak points by inducing and damasking.
- High tolerances and low variances, stress free analysis.
- High sensitivity on the psychological level, too.
- Ability to perform medication tests quickly and easily.

✳ **A metaphor:**

- A comparison between AMSAT-HC® and seismology: detection and localization of petrol oil under the desert.
- Technically produced seismic waves flow mainly through the interior of the earth (= organism) and partly over the surface of the earth (= skin).

- From the different wave data at several detector stations the seismologist can calculate the amount and the location of oil.
- AMSAT-HC® is working similarly, however, using electric current impulses, and looking for the organic functions.

✳ **What are the electric current characteristics?**

Direct voltage of 6.7 V, amperage around 80 μ A, wattage ca. 500 μ W, modulation frequency 10-25 Hz, resistance between skin and the plain electrodes ca. 80,000 Ohm. So: not harmful in any way.

✳ **What are hyper- and hypo-functions?**

Hyper: functional increase, high temperature, high perfusion, matrix overacidity, hydration, lymphatic congestion, inflammation, ionic overload, state of "sol", short term stress.

Hypo: functional decrease, low temperature, low perfusion, alkaline milieu, dehydration, degeneration, deficit of ions, state of "gel", long term stress.

✳ **Procedure:**

- Six plain electrodes are placed on the body, two on the forehead, two in the hands and two under the feet. Of the 30 possible cross connections (pole changes incl.) 22 are used as current flow channels.
- During a short measurement (17 seconds) each channel is checked several times to calculate: which way is the impulse altered between the emitter and the receiver.

✳ **Procedure** (continued):

- The interference between the channels results in a comprehensive assessment of the inner organs.
- The software compares the results of 67 organs and structures respectively with individualized normal values stored in the data bank.
- The functional state, the state of the pH values, and the "risk" of future medical problems are the criteria and are illustrated.

✳ **Results can be expressed in the following formats:**

- 1) Column graphs
 - a) holistic functional state values within one measurement
 - b) organs and systems colloidal situations
 - c) values of the "risks" can be assessed
- 2) Circle diagrams of
 - a) all 22 channels within the body
 - b) all organs and systems
 - c) two desired measurements compared

- 3) Anatomical images = "Phantoms"
 - a) color coded hyper-/hypo-functions of all organs/structures
 - b) pH distributions
 - c) risk estimations
 - d) comparison of measurements


✳ **Ease of use**

Each measurement can be performed by a simple mouse click. 20 measurements take ca. 7 minutes. Remedies are tested for their efficiency being placed in the breastbone pit (virtual testing). The effects of each kind of therapy are also tested.

The evaluation by the therapist takes about 5 minutes. All pictures on the desktop can be marked with a doctor's comment and printed using "Microsoft Word".


✳ **Certification:**

ISO 13485 Medical. CE-certification of the EU. (Notified body). Medicine product class IIa. US FDA pending



Everything in a single system!
The new product line of AMS

The New C-Generation!



The new C-Generation!

Advanced Medical Systems introduced the new C-Generation to professionals at the 2005 Medicine Week Congress in Baden-Baden, Germany.

Incorporated into this unique new practice system are the following devices:

- MEDISEND® Super C, or**
- MEDISEND® Super III**
- WAVE TRANSFER C**
- METRONOM C**

The “C” stands for a completely new system communication via PC/Laptop. The new C-Generation comes with a USB-connection, which allows the control of the device and brings an additional data management.

The well-tried bipolar symmetrical input and the USB-connection offer the possibility to transfer and store bio-information (homeopathic substrates, Bach flower remedies, nosodes, etc.) – both digitally (!) and in analog format. An innovation which is based on the research of Dr. rer. nat. W. Ludwig, Institute for Biophysics, Tauberbischofsheim, Germany.

What can the new C-Generation do?

All models with the “C” designation are developments from previous well tried and tested analog models of the same names. They incorporate the USB connection for use with the AMScomsystem communication and control software. The analog devices of course remain on the market for those who do not wish to work with the newer digital models.

The “C” stands for “System-Communication”!

Besides the USB connection, the new practice instruments of the C-generation also come with a so called “PD”-connection (pocket device) for the METRONOM C, to transfer and store BIOWAVES.

Via PC/Laptop and the optionally available software AMScomsystem, the possible field of application of the C-generation is magnified. As well, the new micro-electronics make the whole system more user-friendly.

Bio-informative Medicine – The AMS GmbH delivers “Everything in a single system”!

MEDISEND® Super C (CDN \$ 5,085)

For practice introduction – Affordable versatility

Unit combines well-tried methods of holistic medicine: pulsating magnetic field, regulative medicine, bio-resonance, acupuncture, transmission and storage of substrate oscillations (e.g. homeopathic substances, Bach flower remedies, nosodes, and patient's own blood). In addition, the pulsating magnetic field can be used as transport medium for patient's own signals and body substances (e.g. patient's blood).

This unit is excellent for use on location:

- No power connection (now new with built-in battery)
- Very easy to use (e.g. MAGNETO-loop instead of unhandy “mat”)
- Handy size and low weight; therefore also appropriate for home treatment


Tip: For those not interested at the moment in the communication interface, you can still buy our tried and tested MEDISEND® super.

MEDISEND® Super III (CDN \$ 15,100)

This “luxury liner” is the best AMS has to offer and it fulfils the highest quality demands.

This model includes everything outlined above for the Super C plus many added features including:

- Bio-resonance – endogenous and exogenous transmission of bio-information
- Bipolar magnetic output – this allows you to connect to the applicator most suitable for your current treatment concept, including the use of two structure-modified directional inductors (see diagram)



How does this all work?

This device works on the basis of weak, quickly changing electromagnetic fields in the low and high frequency ranges, and this particular model is equipped with two frequency generators

Additionally to the Super C this model offers you:

- Two frequency generators (highly complex and effective frequency spectrum)
- Two MAGNETO directional inductors including tripods (homogenous and efficient)
- Phase-, amplitude- and frequency- modulation (sedating/stimulating)
- Stageless adjustment of the strength of the magnetic field (flexible penetrations and reach)
- Built in loud speaker (for tinnitus patients!)
- Big MAGNETO loop (for treatment of knees and joints)

WAVE TRANSFER C (CDN \$ 4,605)

Transmission and duplication of bio-information. Analog or digital?

With the new WAVE TRANSFER C and the control software AMScomsystem you can digitize any substrate oscillation and store it as a so-called BIOWAVE on the hard drive of your PC in the highest “CD quality”!

With a mouse-click you can modulate and transfer the stored BIOWAVES onto the magnetic field of your MEDISEND Super C or III. Of course this C-generation is capable of

doing everything that the previous WAVE TRANSFER model did: You can simply transfer any frequency spectra of analog bio-information and duplicate it (including amplification and inversion!)

Performance characteristics

A sound blaster circuit was specially developed and is already built in. The spectra are digitized with a resolution of 16 bits and a sampling frequency of 44.1 kHz. The BIOWAVES are reproduced by the “loop” technique with integrated fade algorithms. The data thus attains “CD quality”! The coded frequency spectra are stored so-called WAVE data. These are not compressed (approx. 1.3 MB) and can be freely copied. This enables an exchange by E-mail!

METRONOM C with storage location for a BIOWAVE! (CDN \$ 710)

This C-generation model is based on the previous METRONOM Solar and incorporates all of its features.

It is a pocket sized magnetic field instrument with five programs (including a “sun” program for natural solar frequencies) that now includes a storage location for bio-information. This unit can be connected to all of the C-generation devices via a “PD” connector and can be “loaded” with bio information. The bio-information can also be modulated on the various frequency programs of the device. This can be integrated into your practice concept easily and can additionally be offered as an ideal instrument for complementary home use!

AMScomsystem (CDN \$ 1,035)

Communication- and control-platform for the new C-generation – now you can steer “everything in a single system” with this new software!

Examples of the many control and programming possibilities you can complete with a mouse click:

- Use with the WAVE TRANSFER C to store the frequency spectra of BIOWAVES digitally on the hard drive of your PC
- Use BIOWAVES stored on your PC to modulate the pulsating magnetic field of your MEDISEND® Super III or MEDISEND® Super C
- Process specific patients frequency sequences automatically with your MEDISEND® Super III or MEDISEND® Super C
- Transfer self digitalized BIOWAVE data to a METRONOM C
- Document everything in a patient manager

NOTE: For bio-information transfer purposes, in addition to the software you also need the MEDISEND® Super III, the MEDISEND® Super C or the WAVE TRANSFER C. Buy this software once and use it with all C-generation systems!

Highest standard of quality

All instruments are manufactured by DIN EN ISO 9001 certified companies.

You can identify the original and authentic devices and research of Dr. Ludwig by this symbol!



You can see full details and some great pictures of the Advanced Medical Systems product line on their extensive English language website at www.magnetotherapy.de Note that their suggested US prices do not reflect current exchange rates. OIRF Member prices are always at or below factory export prices and do not include shipping, handling or importation.

BIO-INFORMATIVE MEDICINE

Developed by Dr. rer. nat. W. Ludwig,
Institute for Biophysics, Tauberbischofsheim, Germany

You have everything in a single system!

- Pulsating magnetic field
- Regulation- and bio-resonance
- Color, light and laser treatments (optional)
- Acupuncture
- Analog and digital transmission and storage of bio-information*

* Bio-information can be: homeopathic substances, Bach flower remedies, nosodes, etc.

With Bio-Informative Medicine you can:

- Integrate well-tried methods of empirical therapeutics into a single system and achieve highly effective synergetic effects
- Optimize the cost effectiveness of your therapeutic program
- Achieve higher profitability with lower personnel and investment costs
- Delegate thanks to simple operation and handling
- Use "Everything in a single system" with confidence

Bio-Informative Medicine

You achieve synergistic effects! You are able to work at the level of the four conducting channels in the organism at the same time:


- Substance transport (molecules) in the blood circulation
- Charge transport (ions) in the analog direct current system
- Light transport (energy) in the meridian system
- Soliton transport (information) in the digital nervous system

AMS quality and standard attributes

- Shape and strength of the magnetic field impulse
- Frequency modulation and frequency programs
- Bipolar symmetrical input and magnetic output
- No electromagnetic pollution – optimum input of bio-information
- Three harmonic oscillations

Biological standards

Our pulsating magnetic field dates from the research of the worldwide accepted biophysicist Dr. rer. nat. W. Ludwig. He dealt with the natural magnetic field for decades and consequently converted his findings into his systems. These natural magnetic fields are known as "Biological standards".



1. The Schumann frequencies in the low frequency range (inherent resonance of the earth's surface system / ionosphere; YANG signal)
2. The geomagnetic frequencies (modulation of the earth's magnetic field by the inherent frequencies of the 64 trace elements; YIN signal)
3. The solar frequencies (natural sunlight equivalent FM frequencies).



Accelerated Natural Healing™

Low Level Laser Therapy (LLLT) accelerates all phases of the natural healing process. It gives energy to the cells by enhancing the production of ATP, which leads to a dramatically increased cell activity. This causes amongst other things an accelerated natural coagulation in acute injuries. This leads to a distinct reduction in edema and swelling. LLLT attenuates any inflammation, both in acute and chronic cases. LLLT enhances cell proliferation, including an increased formation of collagen cells in wound healing. It reinforces the natural immune system, thereby assisting in attacking any foreign organisms such as bacteria, viruses and fungi. It increases blood flow, even in areas with stagnated and impeded circulation. All these factors, that are intensively documented by thousands of scientific papers and clinical trials through the last 35 years, lead to: **Accelerated Natural Healing™**.

Furthermore, it alleviates pain, mainly by reducing the cause that created the problem in the first place, and secondly by stimulating the formation of endorphins and encephalines.

Low Level Laser Therapy is free from any side effects, it simply helps the body do what it is already programmed to do – only faster.

Indications:

POWERLASER™ is CE certified for:

Arthritis
Inflammation
Epicondylitis
Myofascial pain
Wound healing

POWERLASER™ is FDA cleared for pain relief, carpal tunnel syndrome and wound healing.

Applications of laser therapy:

Physiotherapy
Chiropractic
Dentistry
Veterinary
General practice
Wound care
Dermatology
Beauty treatment
Acupuncture

Ergonomic

The PowerLaser is well balanced and rests perfectly in your hand. The controls are placed logically and right at your fingertips.

Wireless

The PowerLaser is battery operated and independent of power supply or wall outlet.

Protection goggles are not needed

The PowerLaser is designed with a very large beam divergence, rendering use of protection goggles unnecessary.

Uninterrupted operation

The PowerLaser comes with 2 detachable, rechargeable batteries. When one battery is being used, the other battery is recharged in an intelligent charging station. When the active battery is empty, the two batteries are interchanged within seconds and the laser treatment can continue.

5 therapy programs

The PowerLaser has built-in 5 different therapy protocols for precise adjustment to each individual therapy situation.

Constant monitoring of output power

The output power is continuously monitored by an automatic surveillance system. If the output power falls below the preset minimum the PowerLaser will immediately give an error signal.

**Technical Data:**

Output power, total:
Wavelength:
No. of laser diodes:
No. of programs:
Output energy:
Battery capacity:
Recharging time:
Price (Canadian Dollars):

PL500 MkIII

100-500 mW
808 nm
1
5
1-100 Joule
120 minutes
90 minutes
\$4,500

PL1000 MkIII

200-1000 mW
808 nm
3
5
2-200 Joule
90 minutes
90 minutes
\$5,900

Standard accessories:

POWERLASER™ basic unit
2 batteries
SmartCharger™, intelligent recharging unit
AC-adaptor, universal 90-270VAC
(available with EU, UK or US plug)
Instruction Manual
Laser Therapy Manual
Specially designed carrying case

**Approvals:**

The **POWERLASER™** Series are produced under the highest industrial standards in a ISO13485 certified environment. The production conforms to the following standards and specification: Annex V, section 3.2 – production Quality Assurance; EN 60601-2-22:1996; 93/42/EEC concerning medical devices; Class 2a medical devices; and Class 3B laser products. Fully CE and US FDA registered.

CS Tronik

OXYGEN ION 3000

by Dr. Ivan Engler

Fully Automatic Inhaled Ionized Oxygen



The oxygen Ion 3000/by Dr. Engler is a so-called oxygen-ionizator which enables you to enrich medical oxygen with electrical charge carriers in the form of "oxygen-cations" or "oxygen-anions". The administration of enriched oxygen is carried out via an oxygen mask. The oxygen quantity varies between 4 and 8 liters, yet the changed charge quantity has to be considered. The therapeutic session lasts 12 minutes. As an alternative, oxygen concentrators may be used instead of oxygen cylinders.

Because of the state-of-the-art processor technology, the respective polarities are changed over automatically, without having to switch the oxygen supply. A data interface to VNS Diagnosis allows an automatic therapeutic transmission from the diagnosis device VNS Diagnosis 3000/by Dr. Engler.

ORDER COMMENTS: A full new order of both the Oxygen Ion 3000 and the VNS Diagnosis 3000 units is in stock in Austria and available for immediate shipment. Price of the units is CDN \$XX including shipping. The unit itself is shipped directly to you from the factory in Austria. The accessories and instructions are sent directly to you from the Institute.

CStronic

VNS DIAGNOSIS 3000

by Dr. Ivan Engler



As an ideal complement to Oxygen Ion 3000/by Dr. Engler, VNS Diagnosis 3000/by Dr. Engler supports your diagnostic procedure. VNS Diagnosis 3000/by Dr. Engler measures the capacity and the resistance between both gold electrodes and forms an optic display of the vegetative situation in the form of a LED-diagram. Of course there is the possibility to read off the measured values as direct numbers as well and can be interpreted individually. Because of similarities to the Oxygen Ion 3000/by Dr. Engler, a display of therapeutic proposals was also integrated. A data wire immediately transmits the therapeutic proposal to the Oxygen Ion 3000/by Dr. Engler, from which a further program selection can be started afterwards. The shape of the gilded electrode plates is handy and therefore facilitates the reproducibility of the measured results.

PRESENTED BY OCCIDENTAL INSTITUTE RESEARCH FOUNDATION:

P. O. Box 2950
Oroville,
WA 98844-2950 U.S.A.

P. O. Box 100
Penticton,
B.C. V2A 6J9 CANADA

Call 1-800-663-8342 toll free today (US & Canada) for ordering information.
Contact us by Phone at (250)493-3318, Fax (250) 490-3348, E-mail support@oirf.com

medical electronics

BIOPHOTON LIGHT THERAPY

Therapy with Energy



Biophoton HPT 3D Standard

64 Hyper-red Special LED
(HeNe Laser carrier)
660 Nanometer (Hyperred)
ca. 6 Milliwatt per diode

64 Laser diodes
785 Nanometer (Infrared)
ca. 6 Milliwatt effective per diode

The most modern large area laser therapy, the Biophoton light therapy, with optional magnetic field therapy, depth relaxation, super-learning and energetic homeopathy, make this therapy apparatus a particularly effective instrument.

Eminently suitable for hair, face and body treatment. Impressive results within a short time – in particular with cellulite and other large area tissue problems.

New modulation frequencies stimulate the body to produce endorphins. Endorphins improve the mental attitude, activate the immune system and optimize all the body's own self-healing effects.

That is modern overall therapy – the therapy of the future! With this apparatus it can be impressively confirmed what modern energy therapy is able to do!

Set Package Price CDN/USA \$14,740

Certification: Manufactured to fully meet the regulated standards of the industry in Europe (including full ISO 14385, European medical and CE approvals). Health & Welfare Canada registration pending.

MORA[®]-SUPER⁺

BIORESONANCE THERAPY

- Assessment and therapy with patient's own high and low potencies
- User-friendly therapy settings
- Elaborate medication test
- Stressless allergy and geopathy assessment
- Complete Electro-Acupuncture assessment
- Comprehensive electronic homeopathy program



Pictured above is the MORA-Super Plus device, with the MORA Interface (installed in the lower right hand corner of the electrode board) and the Electronic Homeopathy software program showing on the computer screen.

Order through OCCIDENTAL INSTITUTE RESEARCH FOUNDATION:

2002 West Bench Drive, Penticton, B.C. V2A 8Z3 CANADA

Phone us at 1-800-663-8342 or (250)-490-3318 FAX: (250)-490-3348

E-mail us at support@oirf.com and for full details visit our website at www.oirf.com

MORA[®]-SUPER⁺

Instrument Features

Bipolarity

2-channel technology allows simultaneous therapy for all body segments in conformity with the principles of homeopathy.

EAP Differential measuring technology

EAP measurements are reproducible!

Electronic potentization

Medications and substances can be electronically potentized.

Documentation of measured values

In each menu of EAP-assessment the measured values and the indicator drop are recorded. Measurement curves can be visualized as graphics via the Win-Base software program.

Assessment / Therapy Automation

Individually found amplifications can easily be set in each assessment program via MORA[®]-Mouse and are automatically transferred to the appropriate therapy program. Thus assessment programs are automatically assigned to therapy programs.

Software

Future updates can easily be implemented.

Set Package Prices

MORA-Super+ CDN \$ XX OR with ETS & Assessment software CAD \$ XX

For the Gruba Color Amplifier Kit add CDN \$ XX

Full Function model CDN \$ XX

Certification

Manufactured to fully meet the regulated standards of the industry in Europe (including full ISO 14385, European medical and CE approvals).

Assessment and Therapy

- EAV assessment featuring integrated meridian points
- Dialog-guided therapy settings
- Automatic basic therapy with integrated segment measurement as well as automatic assignment of bipolar channels
- Variable high- and low-pass filters for electronic potentization of the body's own oscillations and medication information
- Variable band-passes and cut-off frequencies
- Tried and tested, permanently stored and medically documented therapy programs with the possibility to change all parameters individually
- Documentation of assessment and therapy via PC database administration

Indications

- Allergies
- Functional diseases of the heart and circulation system
- Acute and chronic metabolic disorders
- Psychosomatic illnesses
- Food intolerances
- Stress caused by environmental poisoning and dental materials
- Neurological disorders

The MORA-Super Amplifier




Rebirth of MORA-Color thanks to high amplification Easy introduction for all MORA-Super users

As early as 30 years ago Dr. Franz Morell already knew why he set great value upon the amendment “. . . and colored light-oscillations” in his MORA-BioResonance therapy. During the 2006 MORA International Symposium our long-time friend from Australia, Dr. Sir Zenon Gruba gave an impressive presentation about his unbelievable success with **MORA-Color and very high amplification**. He convinced us to devise a suitable instrumental solution especially for MORA-Super users.

Today we can offer you a package which will enable you to attain fast and sustainable **results with pain patients** – especially within the musculoskeletal system – within no time at all. During a vast number of tests and treatments Med-Tronik has been able to confirm the Gruba-theory regarding the enormous effect of very high amplification in connection with Color.

Important Fact: Mora Color does NOT cover symptoms. If MORA COLOR does NOT resolve the underlying pathology, there is NO loss of symptoms or signs. MORA Color will only remove the symptoms and signs IF the under-lying condition is actually healing.



SuperAmp pictured set up on a MORA-Super Plus

The newly developed **MORA-SuperAmp** is now available in the following “Color Package” which includes:

- An amplification factor of up to 10,000 (meaning up to 1 million in connection with the MORA-Super),
- A specially molded Gruba **Color-double roller**,
- WinBase update with integrated **WinColor-Software**,
- A cable and adapter set,
- Dongle-activation-CD, and
- Instruction manual (in English)

Price including shipping (but not importation) is CDN/US \$ XX



Dr. Sir Zenon Gruba

At the big international MORA symposium held in Rust, Germany, Nov. 2006 our long time member and friend **Dr. Sir Zenon Gruba** gave a very impressive presentation. He had the old timers shaking their heads and denying that such a thing could possibly work. But, it only took a few demonstrations for everyone to be shaking their heads in awe!

Developed by Dr. Gruba over the many years of his practice with MORA- and MORA-Color Therapies, this is a method which utilizes those therapies in conjunction with extremely high amplification. See Vol. 4, Issue 1 for a description of how to do this therapy.

This device can be used with all MORA or BioResonance devices although you may not be able to attain the full amplification factors. Are you intrigued? This pain therapy is so good, so fast and so effective that it is no wonder the old timers at the Symposium initially were disbelievers. All of us here at the Institute have experienced this treatment and I cannot say enough about the results. Call Carolyn or Elaine today to place your orders!

COMMENTS ON MORA INSTRUMENTATION PRICING

Recently there has been some controversy about the Institute's MORA instrumentation pricing. Once again here are our OIRF Instrumentation Policies:

*Occidental Institute Research Foundation is a **non-profit research organization**. The instrumentation recommendations of this organization are based on thorough testing to determine efficacy, quality, pricing, availability and support. **All instrumentation is sold on a not-for-profit basis at or below German factory (export) prices** to assist our Affiliates in obtaining the best product for their needs at the best possible price. Longtime Affiliates consider OIRF as the "Consumer Reports" of German Biological Medicine. Training and educational materials on all instrumentation are available through OIRF.*

*As a non-profit research organization, we are **not** here to sell you equipment! Rather, we are here to educate and inform our affiliated Research Associates (members), and to make instrumentation recommendations based on our years of research. Then – on a not-for-profit basis – we can assist you with the purchase that will work best in your practice for the most reasonable price. Please call our office for a no cost / no pressure consultation.*

With that out of the way here is where the controversy has arisen. The Institute's membership is international. We are the information and technology bridge linking Germany with English speaking practitioners around the world. Our Med-Tronik (MORA) instrumentation pricing is for Canada and the United States **only**. None of the Med-Tronik instrumentation has been registered with Health & Welfare Canada or the US Food & Drug Administration. As a result our North American pricing reflects the lack of registration (a very costly and time consuming process) and the Institute's non-profit status.

For both our international and North American members the Institute can still offer many MORA training possibilities. We can also provide you with purchase advice and information. However, in most cases we are not allowed to sell directly into countries where other distributors exist.

There are several countries where the distributors have managed to register the MORA products (most European nations as well as Turkey, China and Taiwan). These distributors represent profit making corporations that must recoup their huge investments for that registration. As well, many of them are selling these devices directly into hospitals and clinics. As a result their pricing structures reflect their increased costs and are much higher than current North American prices. As the Institute moves toward registration of some of the MORA products our pricing and marketing will also be changing to reflect that investment.

Please note that the preceding comments apply only to the Med-Tronik MORA instrumentation. For all other devices (such as the BioPhoton, Ionized Oxygen, AMS Magnetic Field therapy and AMSAT-HC devices) no such restrictions yet apply. International members are advised to contact the Institute to obtain the best prices and full support.

Comments continued . . .

Registration with Health and Welfare Canada is now pending for the BioPhoton device by Medical Electronics. The AMSAT-HC is currently pending registration in the US. And, in the meantime the handheld lasers from PowerMedic are already registered with the US F&DA. If you have any questions concerning this, please do not hesitate to contact Carolyn at the Institute offices.



OIRF Instrumentation Policy:

*As a non-profit research organization, we are **not** here to sell you equipment! Rather, we are here to educate and inform our affiliated Research Associates (members), and to make instrumentation recommendations based on our years of research. Then – on a not-for-profit basis – we can assist you with the purchase that will work best in your practice for the most reasonable price. Please call our office for a no cost / no pressure consultation.*

Thanks for your attention and interest. That will finally bring this Issue to a close. Until the March/April Issue, best wishes . . . CLWS



Mr. Dieter Jossner with two AQA 707's at Med-Week, Baden-Baden 2007

MARK YOUR CALENDAR NOW!

Germany Tour #35 will take place **November 2 to 9, 2008**. Fly into and out of Munich, Germany. Keynote speak will be **Prof. Dr. Ivan Engler** from Austria on his latest research in **Inhaled Ionized Oxygen**. Invitations are going out to various speakers including Advanced Medical Systems, a naturally oriented clinic, and a visit to Med-Tronik.

Watch for more details in your next issue of The Bridge.

Printed in Canada